


# Aura Pendant




## APPEARANCE

Materials	Copper, brass, wire, cord
Suspension	8' warm dark grey fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Style Options	10" ring / 15" ring
Customize	Finish, cord

## TECHNICAL

Socket	E26/E27 base
Bulb	10": G25 or G95, 15": G40 or G125
Watt / Volt	Max 60W; line voltage to 300v
Compatibility	Most international
Certification	UL, cUL
Weight	1 lb.

# Aura Pendant



## REC. USE / SPACES

- Ambient/accent lighting
- Kitchen counters
- Bedside
- Dining
- Commercial dining
- Bathroom vanity



### BULB

Sold Separately  
10": G25/G95  
15" G40/G125  
E26/27 base  
60w max



### COLOR TEMP

2700K  
recommended



### LUMENS SCALE

Variable




### DIMMING

Via electronic wall  
dimmer

Dimmable bulb  
required

### OTHER NOTES

# Aura Pendant



## MATERIAL OPTIONS

\*A vast array of custom materials and finishes are available for most products upon request.

### SOCKET

---



Brass  
(brushed)





Blackened  
Brass




Copper  
(brushed)

# Aura Pendant



# Aura Radial Clusters




## APPEARANCE

Materials	Copper, brass, wire, cord
Suspension	8' warm dark grey fabric, adjustable
Canopy	12" round brass
Finishes	See Material Options page
Style Options	3 lights / 5 lights
Customize	Finish, cord, configuration

## TECHNICAL

Socket	E26/E27 base
Bulb	10": G25 or G95, 15": G40 or G125
Watt / Volt	Max 60W; line voltage to 300v
Compatibility	Most international
Certification	UL, cUL
Weight	1 lb.

# Aura Radial Clusters



## REC. USE / SPACES

- Ambient/accent lighting
- Kitchen counters
- Bedside
- Dining
- Living room
- Statement corner
- Stairwell



### BULB

Sold Separately  
10": G25/G95  
15" G40/G125  
E26/27 base  
60w max



### COLOR TEMP

2700K  
recommended



### LUMENS SCALE

Variable




### DIMMING

Via electronic wall  
dimmer

Dimmable bulb  
required

### OTHER NOTES

# Aura Radial Clusters



## MATERIAL OPTIONS

\*A vast array of custom materials and finishes are available for most products upon request.

### SOCKET

---



Brass  
(brushed)






Blackened  
Brass




Copper  
(brushed)

# Aura Radial Clusters





# Aura 5pc Row




## APPEARANCE

Materials	Copper, brass, wire, cord
Suspension	8' warm dark grey fabric, adjustable
Canopy	48" x 6" rectangular brass
Finishes	See Material Options page
Contains	(3) 10" rings, (2) 15" rings
Customize	Finish, cord, configuration

## TECHNICAL

Socket	E26/E27 base
Bulb	10": G25 or G95, 15": G40 or G125
Watt / Volt	Max 60W; line voltage to 300v
Compatibility	Most international
Certification	UL, cUL
Weight	1 lb.

# Aura 5pc Row



## REC. USE / SPACES

Ambient/accent lighting  
Kitchen islands  
Dining  
Above coffee tables  
Statement corner



### BULB

Sold Separately  
10": G25/G95  
15" G40/G125  
E26/27 base  
60w max



### COLOR TEMP

2700K  
recommended



### LUMENS SCALE

Variable




### DIMMING

Electronic wall  
dimmer required  
  
Dimmable bulb  
required

### OTHER NOTES

# Aura 5pc Row



## MATERIAL OPTIONS

\*A vast array of custom materials and finishes are available for most products upon request.

### SOCKET

---



Brass  
(brushed)



Blackened  
Brass



Copper  
(brushed)

# Aura 5pc Row

