




Shape Up Pendant – Dome




APPEARANCE

Materials	Steel, brass, aluminum
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	5.2w; 120v or 220v
Lamp detail	30 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL
Weight	10 lb.

Shape Up Pendant – Dome



REC. USE / SPACES

Direct lighting
Dining room
Living room
Bedside
Statement corner
Kitchen Island

PREPARE FOR INSTALL

This is a low voltage fixture.
Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
120V: LTF TA60WD12LED
220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
G4 bi-pin
2.6w, 12V LED



COLOR TEMP

2700K



LUMENS SCALE

30 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up Pendant – Dome



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

CORD



Currant



Black

SHADE



Brass
(brushed)




Blackened
Steel



Copper
(brushed)

Shape Up Pendant – Cone




APPEARANCE

Materials	Steel, brass, aluminum
Suspension	12' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	5.2w; 120v or 220v
Lamp detail	30 lumens, 2700k, 50000 hours, dimmable
Compatability	Most international
Certification	UL
Weight	10 lb.

Shape Up Pendant – Cone



REC. USE / SPACES

- Direct lighting
- Dining room
- Living room
- Bedside
- Statement corner
- Kitchen Island

PREPARE FOR INSTALL

This is a low voltage fixture. Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
120V: LTF TA60WD12LED
220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
G4 bi-pin
2.6w, 12V LED



COLOR TEMP

2700K



LUMENS SCALE

30 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up Pendant – Cone



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

CORD



Currant



Black

SHADE



Brass
(brushed)






Blackened
Steel



Copper
(brushed)

Shape Up Pendant – Globe




APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	2.6w; 120v or 220v
Lamp detail	30 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	10 lb.

Shape Up Pendant – Globe



REC. USE / SPACES

Direct lighting
Dining room
Living room
Bedside
Statement corner
Kitchen island

PREPARE FOR INSTALL

This is a low voltage fixture.
Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
120V: LTF TA60WD12LED
220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
G4 bi-pin
2.6w, 12V LED



COLOR TEMP

2700K



LUMENS SCALE

50 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up Pendant – Globe



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

CORD



Currant





Black

GLASS GLOBE



Fog

Shape Up Pendant – Cylinder




APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	2.6w; 120v or 220v
Lamp detail	30 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	10 lb.
Leadtime*	10-12 weeks

Shape Up Pendant – Cylinder



REC. USE / SPACES

Ambient/accent lighting
Dining room
Living room
Bedside
Statement corner
Kitchen island

PREPARE FOR INSTALL

This is a low voltage fixture.
Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
120V: LTF TA60WD12LED
220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
G4 bi-pin
2.6w, 12V LED



COLOR TEMP

2700K



LUMENS SCALE

30 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up Pendant – Cylinder



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

CORD



Currant






Black

GLASS CYLINDER



Midnight

Shape Up Pendant – Arc




APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	2.6w; 120v or 220v
Lamp detail	30 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	10 lb.

Shape Up Pendant – Arc



REC. USE / SPACES

Ambient/accent lighting
Dining room
Living room
Bedside
Statement corner
Kitchen island

PREPARE FOR INSTALL

This is a low voltage fixture.
Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
120V: LTF TA60WD12LED
220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
G4 bi-pin
2.6W, 12V LED
(5.2 Watts output)



COLOR TEMP

2700K



LUMENS SCALE

100 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up Pendant – Arc



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

CORD



Currant





Black

GLASS ARC




Celadon

Shape Up - Pendants



Shape Up – 2pc Pendant




APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	5.2w; 120v or 220v
Lamp detail	60 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	20 lb.

Shape Up – 2pc Pendant



REC. USE / SPACES

Ambient/accent lighting
Dining room
Living room
Statement corner
Stairwell
Entrance
Kitchen Island

PREPARE FOR INSTALL

This is a low voltage fixture. Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
120V: LTF TA60WD12LED
220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
G4 bi-pin
2.6W, 12V LED
(5.2 Watts output)



COLOR TEMP

2700K



LUMENS SCALE

60 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up – 2pc Pendant



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

SHADE



Brass
(brushed)



Blackened
Steel



Copper
(brushed)

GLASS CYLINDER



Midnight

CORD




Currant




Black

Shape Up – 2pc Pendant



Shape Up – 3 pc




APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	5.2w; 120v or 220v
Lamp detail	110 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	20 lb.

Shape Up – 3 pc



REC. USE / SPACES

Ambient/accent lighting
 Dining room
 Living room
 Statement corner
 Stairwell
 Entrance

PREPARE FOR INSTALL

This is a low voltage fixture. Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
 120V: LTF TA60WD12LED
 220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
 G4 bi-pin
 2.6W, 12V LED
 (5.2 Watts output)



COLOR TEMP

2700K



LUMENS SCALE

110 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up – 3 pc



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

SHADE



Brass
(brushed)



Blackened
Steel



Copper
(brushed)

GLASS



Midnight



Fog

CORD






Currant




Black

Shape Up – 3 pc



Shape Up – 5 pc




APPEARANCE

Materials	Steel, brass, aluminum, glass
Suspension	8' black or currant fabric, adjustable
Canopy	5" round brass
Finishes	See Material Options page
Customize	Finish, colors, configuration

TECHNICAL

Socket / Lamp	G4; Bulb: 2.6w / 12v LED
Watt / Volt	5.2w; 120v or 220v
Lamp detail	240 lumens, 2700k, 50000 hours, dimmable
Compatibility	Most international
Certification	UL, cUL (120v)
Weight	30 lb.

Shape Up – 5 pc



REC. USE / SPACES

Ambient/accent lighting
 Dining room
 Living room
 Statement corner
 Stairwell
 Entrance

PREPARE FOR INSTALL

This is a low voltage fixture. Plan to accommodate the power supply prior to installation.

Allow for storage of power supply in the electrical box or elsewhere according to local guidelines.

Transformer size: 2.2" x 1.3" x .85"

Power supply model:
 120V: LTF TA60WD12LED
 220V: LTF TU60WD12LED

Additional specifications available by searching for the model number at lfttechnology.com.



BULB

Included
 G4 bi-pin
 2.6W, 12V LED
 (5.2 Watts output)



COLOR TEMP

2700K



LUMENS SCALE

240 lm



DIMMING


ELV

OTHER NOTES

Electronic wall dimmer required

* Standard installation allows for up to 8' drop from ceiling

Shape Up – 5 pc



MATERIAL OPTIONS

*A vast array of custom materials and finishes are available for most products upon request.

HARDWARE



Brass
(brushed)

SHADE



Brass
(brushed)



Blackened
Steel



Copper
(brushed)

GLASS



Celadon



Midnight



Fog

CORD



Currant



Black

Shape Up – 5 pc

